This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

UK Patent Application (19) GB (11) 2 019 187 A

- (21) Application No. 7914284
- (22) Date of filing 24 Apr 1979
- (23) Claims filed 24 Apr 1979
- (30) Priority data
- (31) 16088/78
- (32) 24 Apr 1978
- (33) United Kingdom (GB)
- (43) Application published 31 Oct 1979
- (51) INT CL² A23G 9/00
- (52) Domestic classification A2B 16
- (56) Documents cited GB 979468 GB 948456
- (58) Field of search A2B
- (71) Applicants
 Unilever Limited
 Unilever House,
 Blackfriars,
 London EC4, England.
- (72) Inventors
 Iain Cunningham Mutter
 Dea
 Devamanohari Pillai
- (74) Agent Mr. T.C. Stancliffe

(54) Improvements in ice confections and their preparation

(57) Hardened stabilised ice cream confections comprise aerated compositions of ice crystals, edible fat particles and aqueous syrupy phase, shear-frozen under aeration, extruded at nozzle temperatures of about -8°C to -13°C, hardened at -20°C or colder, and contain sugars, sugar alcohols or other low molecular weight materials in amounts molarly equivalent to more than 32% by weight disaccharide, with overruns of 140% or more, and have their hardness at -18°C expressed by log H = 0.85 or less: the confections though storable in the deep-freeze, have eating qualities analogous to those of soft-serve ice cream when eaten direct from the deep

SPECIFICATION

Improvements in ice confections and processes for their preparation

5 This invention relates to ice cream confections and methods of making them, and concerns improved 5 confection compositions and their preparation. A large variety of ice confection products is known with a correspondingly wide range of formulations. Several are described in, for example, GB Specifications Nos.1,456,207; 696,287; and US Patent No. 3,993,793. One popular variant of ice cream is so-called "soft-serve" ice cream. Its preparation is described in, for 10 example, W.S.Arbuckle, "Ice Cream", AVI Publishing Co., 1972, 2nd edition, pp 278-285, 398. 10 Soft-serve ice cream is prepared and served at -5° to -8°C, and in practice requires preparation and machinery at the place where it is sold and consumed. This need for local preparation is associated with a number of difficulties. For example, it is often hard to ensure adequate microbiological safety standards for the machinery and raw materials. The preparation requires much labour and time. The product has poor 15 keeping qualities: it becomes very hard on deep-frozen storage but at eating temperatures melts down very 15 By this invention we provide a stabilised ice cream confection which has been hardened, i.e. equilibrated at deep-freeze temperature, e.g. -20°C or colder (although hardening can also be carried out at ≤ -25 °C), and which, however, at -18°C possesses a hardness which corresponds to a log H measurement (as 20 hereinafter described) of less than 0.85, preferably 0.75. 20 We find surprisingly that an ice cream confection according to the invention has organoleptic properties strikingly similar to "soft-serve" ice cream when it is eaten directly from the deep-freeze, i.e. storage at about -18°C. Its "mouthfeel" and texture characteristics when used in this way prove to be acceptable to consumers in a similar way to the acceptability of soft-serve ice cream. The product has the advantage that it can be 25 prepared at a place remote from the point of sale or consumption (thus, also under clean and supervised 25 factory conditions), and it can be stored at convenience, and eaten direct from storage, with retention of its desirable organoleptic properties. Therefore, it represents a new category of frozen confection. "Ice cream confection", in this context, means a confection composition consisting of an aerated mixture of ice crystals, fat particles and a syrupy aqueous phase, which has been agitated during freezing (i.e. "shear 30 frozen"). Its fat content is below 15% by weight, normally in the range 6-14%, e.g. about 8% by weight. 30 A variety of parameters of the formulation can be controlled to ensure the hardness characteristic, as mentioned above, which should be (log H) of 0.85 or less, preferably 0.6-0.75 or even less, e.g. 0.5 but greater than 0.1. The overrun of an ice cream confection according to the invention should preferably be within the range 35 140-200%, preferably above 145-150%, e.g. 160%-175%. Although overrun > 200% can be used, this necessi-35 tates extra stabilisation and, hence is not preferred. We have surprisingly found that in certain embodiments of the invention it helps ready achievement of the desired low hardness degrees to extrude the shear-frozen, aerated ice cream confection at about -10°C or below, eg. at colder than -8°C down to about -13°C, in practice at as low a temperaure as can be managed. 40 Otherwise, the physical ice cream processing can be carried out in accordance with the known industrial good 40 practice, e.g. as to homogenisation, pasteurisation, freezing, aeration and extrusion. Conventional ice cream stabilisers such as locust bean gum and carageenan can be used. Furthermore, the ice cream confections according to this invention preferably contain quantities of sugars and/or sugar alcohols or other lowmolecular weight materials, e.g.m.w. ≤600, in quantities molarly equivalent to more than 32% by weight of disac-45 45 charide, e.g. above 34% to more than 36%, and for exmple about 38-43%. The ice content of the ice cream confections at -18°C is then preferably less than 46% by weight, often less than 44%, e.g. in the range 41-44%, for example 42%. Accordingly, the ice cream confections can be conveniently formulated using greater than normal quantities of freezing point depressants such as sugars or sugar alcohols, e.g. sucrose, glucose, fructose, (e.g. as invert 50 sugar), sorbitol and glycerol. Glycerol is a particularly convenient ingredient at, for example, 1-5% by weight of the formulations, though it must be stressed that good results are achieved by the use of the other ingredients mentioned. The milk or non-milk fat used in these compositions, the sources of non-fat milk solids, and other optional additives and flavourants (e.g. fruit or other dessert materials), are capable of conventional variation, form no 55 55 part of the novelty of the present invention, and need no further description. It can be seen that many of the stabilised ice cream compositions according to the present invention are

the log H measurement is defined and performed as described below). Accordingly the invention also provides a process for preparing an ice cream confection, which comprises shear-freezing an aqueous confection mix containing dispersed edible fat and sugars and/or sugar alcohols 65 and/or other low molecular weight materials of m.w. ≤600 in amounts molarly equivalent to a concentration 65

 $(C_{12}H_{22}O_{11})$, with overruns of 140% or more, and at -18° C exhibit hardnesses of log H = 0.85 or less, (when

aerated compositions of ice crystals, edible fat particles and aqueous syrupy phase, which have been shear-frozen under aeration, extruded at nozzle temperatures in the range -8°C to -13°C and hardened (equilibrated) at -20°C or colder, and contain sugars and/or sugar alcohols and/or other low molecular weight

60 materials of m.w. ≤600 in amounts molarly equivalent to more than 32% by weight of disaccharide

of disaccharide greater than 32% by weight, aerating the mix to an overrun of at least 140%, and hardening the extruded ice cream at -20° C or colder, to produce a hardened ice cream confection having a hardness corresponding to log H - 0.85 or less.

Log H, as defined in this specification, is the logarithm (base 10) of a hardness measure obtainable by the 5 following or an equivalent test method.

Apparatus

The Instron

The log H measurements were carried out using the Instron Universal Tester model 1122(TradeMark). The sensing table on the Instron was enclosed by a thermostatically controlled temperature cabinet, which operated between a temperature range of +200°C and -70°C. The colder temperatures were obtained by cooling the cabinet with liquid Nitrogen, contained in a self pressurising 50 litre Dewar, which was connected to the back of the cabinet. The ice cream samples could therefore be tested in a temperature controlled environment at any desired temperature. The cabinet was modified to enable easy removal of the load cell. It was also fitted with a glass window panel so that observation of the sample deformation etc. during the measurements was possible.

Measurement

The hardened ice cream samples were tempered in a -18°C cold room for at least 24 hours before any measurements were carried out. The samples were 40 mm thick. Samples were duplicated. Measurements were only carried out when the sample temperature was within±0.2°C of-18°C, as measured with a standard 20 Comark (Trade Mark) temperature probe.

The sample of ice cream was placed on a platform, which was secured to the sensing table of the Instron with Vaseline, to prevent movement during measurement. The platform contained a "hole" (diameter 31.5 mm) through which the core of the ice cream was forced out as a plunger (diameter 29.46 mm) was pushed through the ice cream at a rate of 20 mm/min. As the plunger moved through the ice cream a shear force (in Newtons) was recorded on the Instron trace. H is the maximum force recorded, and is conveniently quoted as a

logarithm, log H.

Particular and non-limitative embodiments of the invention will be illustrated further by the following examples.

EXAMPLE 1

50

30 An ice cream confection was formulated as follows:

		%(weight)		
35	Spray-dried milk powder	9.42		35
	Whey powder	1.11	Š	
	Sucrose	14.12		
40	Glycerol	5		
	Maltodextrin(40 DE)	2.82		
	Butter	7.45		40
	Mono/Di-glycerides of palm oil	0.45	•	40
	Locust bean gum	0.2		
	Carragel MS 20 (Trade Mark, from Bulmers) (Carrageenan)	0.03		
45	Dairy colour and flavour	0.035		45
	Water	to 100	•	+0

The processing followed conventional good practice except for the following processing conditions:

Overrum = 170%:

Extrusion temperature = -12°C.

After the extruded product had been hardened at -20° C overnight, measurement as described above showed that its log H at -18° C was 0.70 ± 0.02 .

The product of the Example had good stability and was a firm hardened ice cream after deep-freeze storage, 55 but its softness (log H = 0.70) was such that it had the organoleptic qualities of soft-serve ice cream directly on consumption from the deep-freeze, with good mouthfeel, flavour and texture characteristics.

5

20

25

15

30

50

25

30

EXAMPLES 2-4

Further ice cream confections were prepared as in Example 1 but formulated as follows:

5	Example No.:	2	3	4	5
	Spray dried skim milk powder	9.42%	9.42%	11.84%	
	Whey powder	1.1 %	1.1 %	_	
	Sucrose	14.12%	14.12%	12 %	
10	Glycerol	3 %	1 %	1 %	10
	Dextrose monohydrate	3 %	6 %	7 %	
	Maltodextrin (40 DE)	2.82%	2.82%	_	
	Coconut oil	8 %	8 %	8 %	
	Mono/diglycerides of palm oil	0.45%	0.45%	0.45%	
15	(Admul MGP, Food Industries Ltd., Bromborough, England)		•		15
	Locust bean gum (LBG)	0.2 %	0.2 %	0.2 %	
	Carrageenan (Carragel MS 20) (Trade Mark)	0.03%	0.03%		
20	Dairy colour and flavour	0.03%	0.03%	0.03%	20
	Water	to 100	% in eac	ch case	

The textural and organoleptic results in each case were acceptably similar to those obtained in Exam-25 ple 1: overruns used were 160%-170%, extrusion temperatures -10° to -12°C, and hardness levels obtained correspond to log H in the range 0.7-0.8.

EXAMPLES 5 and 6

30 Further ice cream confections were prepared as in the preceding Examples 2-4 but formulated as follows:

35	Example No.:	5 6	35
	Spray dried skim milk powder Whey powder Sucrose	12 % 9.42% 1.5% 1.11% 15 % 14.12%	
40	Fructose Dextrose monohydrate Corn syrup (40 DE) Glycerol Invert sugar (75% solids)	2 % - 3 % - 4.5% 2.82% - 2 % - 5.36%	40
45	Coconut oil Mono/Diglycerides of palm oil locust bean gum (LBG) Carrageenan Dairy colour and flavour	8 % 8 % 0.45% 0.45% 0.2 % 0.2 % 0.03% 0.03% 0.03%	45
50	Water	100% in each case	50

Similar textural and organoleptic results were obtained to those of Examples 2-4.

CLAIMS

55

1. A stabilised ice cream confection which has been hardened (as hereinbefore defined) and which has a hardness at -18°C which corresponds to a log H measurement (as hereinbefore defined) of at most0.85.

- 2. An ice cream confection according to claim 1 in which the log H measurement is at most 0.75.
- 3. An ice cream confection according to claim 1 in which the log H measurement if in the range 0.6-0.75.
- 4. An ice cream confection according to any preceding claim in which the overrun is in the range 140-200%
 5. An ice cream confection according to claim 4 in which the overrun is at least 145%.
 - 6. An ice cream confection according to claim 4 in which the overrun is at least 145%.
 - 7. An ice cream confection according to claim 4 in which the overrun is in the range 160-175%.
- 8. An ice cream confection according to any preceding claim which has been extruded at a temperature colder than -8°C.

65

- 9. An ice cream confection according to claim 8, which has been extruded at a temperature in the range below -8" to -13"C.
- 10. An ice cream confection according to claim 8 which has been extruded at a temperature in the range -10°C to -12°C.
- 5 11. An ice cream confection according to any preceding claim, containing sugar and/or sugar alcohol and/or other low-molecular weight edible compounds of m.w. <600, in an amount more than the molar equivalent of 32 % by weight of disaccharide C₁₂H₂₂O₁₁.
 - 12. An ice cream confection according to claim 11, in which said amount is the molar equivalent of at least 34% disaccharide.
- 10 13 An ice cream confection according to claim 11 in which said amount is the molar equivalent of at least 10 36% disaccharide.
 - 14. An ice cream confection according to claim 11 in which said amount is the molar equivalent of 38%-43% disaccharide.
 - 15. An ice cream confection according to claim 11, containing 1-5% glycerol by weight.
- 15 16. An ice cream confection according to claim 11, containing glycerol, sorbitol, fructose or invert sugar. 15
 - 17. An ice cream confection according to any preceding claim, which has an ice content of less than 46% by weight at -18°C.
 - 18. An ice cream confection according to claim 17, which has an ice content of less than 44% by weight at -18°C.
- 20 19. An ice cream confection according to claim 17, which has an ice content in the range 41%-44% by 20 weight at -18°C.
 - 20. An ice cream confection according to claim 17, which has an ice content of about 42% at -18°C.
- 21. A process of producing an ice cream confection which comprises hardening (as hereinbefore defined) an ice cream confection to a hardenss which at -18°C corresponds to a log H measurement (as hereinbefore defined) of at most 0.85.
 - 22. A process according to claim 21, in which the ice cream is hardened to a hardness as defined in claim 2 or 3.
 - 23. A process according to claim 21, wherein the iece cream confection has the characteristics defined in any one of claims 4 to 18.
- 30 24. An ice cream confection substantially as hereinbefore described with respect to any one of the Examples.
 - 25. A process according to claim 21 substantially as hereinbefore described with respect to any one of the Examples.